



# Lower Owyhee Watershed Assessment

© Owyhee Watershed Council and Scientific Ecological Services

## Appendix E.

**A non exhaustive list of plants identified in the lower Owyhee subbasin with species names, common names, and source of information.**

- A. Species found in the Owyhee Breaks<sup>3</sup>
- B. Species found in SE sector of the subbasin and adjacent area<sup>1</sup>
- C. Species in the the lower Owyhee subbasin with photos in Mid-Snake River Watershed Vegetation Database<sup>5</sup>
- D. Species present in Leslie Gulch<sup>2</sup>
- E. Species noted in other sources

Scientific name	Common name <sup>1,2,3,4, 5, 6</sup>	Study
<b>Grasses</b>		
<i>Achnatherum hymenoides</i>	indian ricegrass	D
<i>Achnatherum occidentale</i>	western needlegrass	D
<i>Agrostis exarata</i>	spike bentgrass	D
<i>Agropyron desertorum</i>	standard crested wheatgrass	A
<i>Agropyron smithii</i>	bluestem wheatgrass	A B
<i>Agropyron spicatum</i>	bluebunch wheatgrass	A B
<i>Agropyron triticeum</i> or <i>Eremopyrum triticeum</i>	annual wheatgrass	A
<i>Aristida longiseta</i>	red threeawn	A
<i>Bromus brizaeformis</i>	rattle grass	A D
<i>Bromus japonicus</i>	Japanese brome	A
<i>Bromus tectorum</i>	cheatgrass, downey brome	A B C D
<i>Elymus caput-medusae</i>	medusahead rye	A C
<i>Elymus cinereus</i> or <i>Leymus cinereus</i>	great basin wildrye, giant wildrye, basin wildrye	A B C D
<i>Deschampsia danthonoides</i>	annual hairgrass	D
<i>Deschampsia elongata</i>	slender hairgrass	D
<i>Elymus glaucus</i>	blue wildrye	D
<i>Elymus trachycaulus</i>	slender wheatgrass	D
<i>Festuca bromoides</i>	barren fescue	A
<i>Festuca idahoensis</i>	Idaho fescue	A B D
<i>Festuca pacifica</i>	small fescue	B
<i>Hordeum brachyantherum</i>	meadow barley	D

<i>Hordeum geniculatum</i>	Mediterranean barley	A	
<i>Hordeum jubatum</i>	squirrel-tail	A	D
<i>Hordeum leporinum</i>	charming barley	A	
<i>Koeleria cristata</i>	Prairie Koeler's grass	B	
<i>Melica spectabilis</i>	purple oniongrass		D
<i>Oryzopsis hymenoides</i>	indian ricegrass	A	
<i>Poa bulbosa</i>	bulbous bluegrass	A	C
<i>Poa pratensis</i>	Kentucky bluegrass	A	
<i>Poa sandbergii</i> or <i>Poa secunda</i>	Sandberg's bluegrass, curly blue grass	A	B D
<i>Polypogon monspeliensis</i>	rabbitfoot polypogon	A	
<i>Pseudoroegneria spicata</i>	bluebunch wheatgrass		D
<i>Sitanion hystrrix</i>	bottlebrush squirreltail	A	B
<i>Sitanion jubatum</i>	big squirreltail	A	
<i>Sporobolus cryptandrus</i>	sand dropseed		D
<i>Stipa comata</i>	needle-and-thread	A	
<i>Stipa thurberiana</i>	Thurber's needlegrass	A	B
<i>Vulpia octoflora</i>	sixweeks fescue		D

#### Grasslikes

<i>Carex</i> spp.	sedges	A	B
<i>Carex microptera</i>	smallwing sedge		D
<i>Eleocharis palustris</i>	creeping spike-rush	A	D
<i>Juncus balticus</i>	baltic rush	A	
<i>Juncus bufonius</i>	toad rush		D
<i>Juncus ensifolius</i>	swordleaf rush		D

#### Forbs

<i>Acer glabrum</i>	Rocky Mountain maple		D
<i>Achillea millefolium</i>	white yarrow	A	B C D
<i>Aconitum columbianum</i>	Columbian monkshood		D
<i>Agastache urticifolia</i>	horse mint		C D
<i>Agoseris glauca</i>	pale agoseris, short beaked agoseris	B	D
<i>Agoseris heterophylla</i>	annual agoseris	B	
<i>Allium acuminatum</i>	taper-tip onion	B	C
<i>Allium parvum</i>	dwarf onion	A	
<i>Amaranthus albus</i>	prostrate pigweed		D
<i>Amaranthus californicus</i>	California amaranth		D
<i>Amsinckia lycopsoides</i>	tarweed fiddleneck		D
<i>Amsinckia retrorsa</i>	rigid fiddleneck	A	
<i>Amsinckia tessellata</i>	bristly fiddleneck		D
<i>Antennaria dimorpha</i>	low pussytoes, cushion pussytoes	B	D
<i>Antennaria luzuloides</i>	woodrush pussy-toes	A	D
<i>Aquilegia formosa</i>	western columbine		D
<i>Arabis holboellii</i>	Holboell's rockcress	A	B D
<i>Arenaria nuttallii</i>	Nuttall's sandwort	A	
<i>Artemisia dracunculus</i>	dragon sagewort		D
<i>Artemisia ludoviciana</i>	prairie sage, silver wormwood	A	D
<i>Aster frondosus</i>	alkali aster		D
<i>Aster scopulorum</i>	lava aster		B
<i>Astragalus atratus</i>	mourning milk-vetch	A	
<i>Astragalus cusickii</i>	barren milkvetch		D
<i>Astragalus eremiticus</i>	hermit milk-vetch	A	

<i>Astragalus filipes</i>	threadstalk milk-vetch	A	B	C
<i>Astragalus lentiginosus</i>	freckled milk-vetch	A	B	D
<i>Astragalus miser</i>	weedy milk-vetch		B	
<i>Astragalus purshii</i>	woolly-pod milk-vetch	A	B	D
<i>Astragalus sterilis</i>	Barren milkvetch			D
<i>Balsamorhiza hookeri</i>	Hooker's balsamroot	A	B	C
<i>Balsamorhiza sagittata</i>	arrowleaf balsamroot	A	B	C
<i>Barbarea orthoceras</i>	American yellowrocket			D
<i>Blepharipappus scaber</i>	blepharipappus	A		D
<i>Brickellia microphylla</i>	littleleaf brickelbush		C	D
<i>Calochortus macrocarpus</i>	sagebrush mariposa	A	B	
<i>Camelina microcarpa</i>	littlepod falseflax	A		D
<i>Capsella buras-pastoris</i>	shepherd's-purse	A		C
<i>Cardaria chalapensis</i>	chalapa hoarycress	A		
<i>Cardaria draba</i>	heart podded hoarycress			D
<i>Castilleja chromosa</i> or <i>Castilleja angustifolia</i>	desert paintbrush, violet desert paintbrush	A		D
<i>Castilleja applegatei</i>	wavy Indian paintbrush			D
<i>Castilleja linariifolia</i>	Wyoming Indian paintbrush			D
<i>Castilleja pallescens</i>	pale Indian paintbrush			D
<i>Castilleja tenuis</i>	hairy Indian paintbrush			D
<i>Chaenactis douglasii</i>	hoary chaenactis	A	C	D
<i>Chenopodium leptophyllum</i>	narrowleaf goosefoot			D
<i>Chorispora tenella</i>	chorispora	A		D
<i>Cicuta douglasii</i>	water hemlock		C	
<i>Cirsium subniveum</i>	intermountain thistle			D
<i>Cirsium utahense</i>	Utah thistle	A		
<i>Clarkia pulchella</i>	pink fairies, ragged robin	A	C	D
<i>Claytonia perfoliata</i>	miner's lettuce			D
<i>Clematis columbiana</i>	blue clematis		C	
<i>Clematis ligusticifolia</i>	western clematis	A	C	D
<i>Collinsia</i> spp.			B	
<i>Collinsia parviflora</i>	small flowered blue-eyed Mary	A	B	D
<i>Collomia grandiflora</i>	grand collomia		C	D
<i>Collomia linearis</i>	narrow leaf collomia	A		
<i>Comandra umbellata</i>	bastard toad-flax	A		
<i>Conium maculatum</i>	poison hemlock		C	
<i>Cryptantha intermedia</i>	common cryptantha			D
<i>Cryptantha rostellata</i>	beaked cryptantha	A		
<i>Crepis acuminata</i>	long-leaved hawksbeard	A	B	C
<i>Crepis atrabarpa</i>	hawksbeard	A		
<i>Crepis intermedia</i>	gray hawksbeard	A		
<i>Crepis modocensis</i>	low hawksbeard	A	C	
<i>Cryptantha</i> sp.	cryptantha		C	
<i>Cryptantha torreyana</i>	Torrey's cryptantha, Torrey's cat's eye		B	
<i>Cystopteris fragilis</i>	brittle bladderfern			D
<i>Dalea ornata</i>	Blue Mountain prairie clover, western prairie clover		C	
<i>Delphinium bicolor</i>	blue larkspur		C	
<i>Delphinium nuttallianum</i>	larkspur	A		D
<i>Descurainia pinnata</i>	western or shortpod tansymustard		B	D
<i>Descurainia sophia</i>	flixweed	A		
<i>Dimeresia howellii</i>	dimersia			D

<i>Dipsacus fullonum</i>	common teasel		
<i>Dipsacus sylvestris</i>	gypsy's combs	A	
<i>Dodecatheon conjugens</i>	slippod shooting star	A	
<i>Draba verna</i>	spring whitlow grass		D
<i>Epilobium brachycarpum</i>	tall annual willowherb		D
<i>Epilobium paniculatum</i>	annual willow-weed	A	
<i>Equisetum hyemale</i>	scouringrush	C	D
<i>Erigeron bloomeri</i>	scabland fleabane	A	B
<i>Erigeron corymbosus</i>	foothill daisy		D
<i>Erigeron linearis</i>	desert yellow daisy, lineleaf fleabane	B	
<i>Erigeron pumilus</i>	shaggy fleabane	A	B
<i>Eriogonum douglasii</i>	Douglas' buckwheat	B	
<i>Eriogonum microthecum</i>	slenderbush buckwheat	A	D
<i>Eriogonum novonudum</i>	false naked buckwheat		D
<i>Eriogonum nudum</i>	barestem buckwheat	A	B
<i>Eriogonum ovalifolium</i>	oval-leaved eriogonum	A	
<i>Eriogonum sphaerocephalum</i>	round-headed eriogonum	A	
<i>Eriogonum strictum</i>	Blue Mountain buckwheat		D
<i>Eriogonum umbellatum</i>	sulfur flower	B	D
<i>Eriogonum vimineum</i>	wickerstem buckwheat		D
<i>Eriophyllum lanatum</i>	woolly sunflower	A	C
<i>Erodium cicutarium</i>	filaree	A	C
<i>Erysimum capitatum</i>	rough wallflower		D
<i>Erysimum repandum</i>	spreading wallflower	A	
<i>Frasera albicaulis</i>	whitestem frasera		
<i>Fritillaria pudica</i>	yellow bell	A	
<i>Gayophytum</i> Juss. spp.		B	
<i>Gayophytum ramosissimum</i>	pinyon groundsmoke	B	
<i>Galium aparine</i>	goose-grass	A	D
<i>Galium multiflorum</i>	shrubby bedstraw		D
<i>Geranium viscosissimum</i>	sticky geranium		D
<i>Geum triflorum</i>	old man's whiskers		D
<i>Gilia aggregata</i> or <i>Ipomopsis aggregata</i>	scarlet gilia, skyrocket gilia	A	D
<i>Gilia sinuata</i>	rosy gilia		D
<i>Glycyrrhiza lepidota</i>	wild licorice		C
<i>Haplopappus resinosus</i>	snarled goldenweed	A	
<i>Haplopappus stenophyllus</i> or <i>Stenotus stenophyllus</i>	narrowleaf goldenweed		B
<i>Helianthus annuus</i>	common sunflower	A	
<i>Helianthella uniflora</i>	little-sunflower	A	C
<i>Heuchera cylindrica</i>	roundleaf alumroot		D
<i>Hieracium albertinum</i>	western hawkweed	A	
<i>Hieracium scouleri</i>	woolly weed		D
<i>Holosteum umbellatum</i>	jagged chickweed	A	D
<i>Hydrophyllum capitatum</i>	ballhead waterleaf		D
<i>Iva axillaris</i>	poverty sumpweed		C
<i>Ivesia rhypara</i>	grimy mousetail		D
<i>Lacutuca</i> (Tourn.) L. spp.		B	
<i>Lacutuca serriola</i>	prickly lettuce	A	C
<i>Lagophylla ramosissima</i>	slender hareleaf	A	B
<i>Lappula redowskii</i>	western stickseed	A	D
<i>Lathyrus lanszwertii</i>	peavine	A	

<i>Lathyrus pauciflorus</i>	few-flowered peavine	C	D	
<i>Lepidium davisii</i>	Davis's pepperweed			E
<i>Lepidium latifolium</i>		C		
<i>Lepidium perfoliatum</i>	clasping pepperweed, clasping peppergrass	A	B	C
<i>Leptodactylon pungens</i>	granite prickly phlox			D
<i>Leucocrinum montanum</i>	sandlily	A	C	
<i>Lewisia rediviva</i>	bitterroot	A	C	D
<i>Linanthus pharnaceoides</i>	flax-flower, desert-trumpets, thread-stem linanthus		B	
<i>Linum lewisii</i>	wild blue flax, prairie flax	A	C	D
<i>Lithophragma bulbifera</i>	bulbiferous fringecup	A		
<i>Lithophragmaparviflorum</i>	small flowered fringecup			D
<i>Lithospermum ruderale</i>	Columbian puccoon, western gromwell, western stoneseed		B	D
<i>Lomatium spp.</i>			B	
<i>Lomatium dissectum</i>	fern-leaved lomatium, fern-leaved desert parsley	A		D
<i>Lomatium grayi</i>	Gray's lomatium, Gray's desert parsley			C
<i>Lomatium leptocarpum</i>	gumbo-lomatium	B		
<i>Lomatium macrocarpum</i>	large-fruit desert-parsley, bigseed lomatium	B		
<i>Lomatium salmoniflorum</i>	Salmon river lomatium	A		
<i>Lomatium triternatum</i>	nine-leaf lomatium	A	B	C
<i>Lupinus spp.</i>		B		
<i>Lupinus arbustus</i>	spur lupine			D
<i>Lupinus argenteus</i>	tailcup lupine			D
<i>Lupinus caudatus</i>	tailup lupine	A		
<i>Lupinus laxiflorus</i>	lupine	A		
<i>Lupinus lepidus</i>	dwarf lupine			D
<i>Lupinus polyphyllus</i>	bigleaf lupine			D
<i>Lupinus sericeus</i>	silky lupine		B	
<i>Lychnis alba</i>	white campion	A		
<i>Lygodesmia spinosa</i>	spiny skeletonweed	A		
<i>Machaeranthera canescens</i>	hoary aster			D
<i>Madia exigua</i>	little tarweed, threadstem madia, little tarplant	B		
<i>Mentha canadensis</i>	wild mint			D
<i>Mentzelia albicaulis</i>	whitestem blazingstar			D
<i>Mentzelia packardiae</i>	Packard's blazingstar			D
<i>Marrubium valugare</i>	horehound	A		
<i>Mertensia ciliata</i>	broad leaved bluebells			D
<i>Mertensia oblongifolia</i> or <i>Mertensia pulchella</i>	sagebrush bluebells	B		
<i>Microseris troximoides</i>	false-agoseris	A	B	
<i>Microsteris gracilis</i>	pink microsteria	A		
<i>Mimulus cusickii</i>	Cusick's monkeyflower			D
<i>Mimulus nanus</i>	dwarf monkeyflower		B	D
<i>Minuartia nuttallii</i>	recurved sandwort			D
<i>Mollugo verticillata</i>	carpetweed			D
<i>Monardella odoratissima</i>	mountain monardella	A	C	D
<i>Montia perfoliata</i>	miner's lettuce	A	C	

<i>Myosotis micrantha</i> or <i>Myosotis stricta</i>	blue scorpion grass	D
<i>Nicotiana attenuata</i>	coyote tobacco	D
<i>Nothocalais troximoides</i>	false agoseris	D
<i>Oenothera caespitosa</i>	rock-rose, desert evening primrose	A C D
<i>Oenothera tanacetifolia</i>	tansy-leaf evening-primrose	A
<i>Onopordum acanthium</i>	Scotch thistle	A D
<i>Orobanche</i> sp.	broomrape	C
<i>Orobanche fasciculata</i>	clustered broomrape	A
<i>Osmorhiza occidentalis</i>	western sweetroot	D
<i>Paeonia brownii</i>	western peony	D
<i>Penstemon acuminatus</i>	sand penstemmon, sandhill penstemmon, sharp-leaved penstemmon	C
<i>Penstemon aridus</i>	stiffleaf penstemmon, beard tongue	B
<i>Penstemon cusickii</i>	Cusick's beardtongue	B
<i>Penstemon deustus</i>	hotrock beardtongue	D
<i>Penstemon fasciculata</i>	hot-rock penstemmon	A
<i>Penstemon seorsus</i>	short-lobed penstemmon	A C
<i>Penstemon speciosus</i>	showy penstemmon, royal penstemmon	A B C D
<i>Phacelia</i> spp.		B
<i>Phacelia hastata</i>	whiteleaf or silverleaf phacelia	A C D
<i>Phacelia linearis</i>	threadleaf phacelia	A C D
<i>Phacelia lutea</i>	Mackenzie's phacelia	D
<i>Phlox diffusa</i>	spreading phlox	B
<i>Phlox gracilis</i>	slender phlox	D
<i>Phlox hoodii</i>	Hood's phlox	A D
<i>Phlox longifolia</i>	long-leaved phlox	A B C
<i>Phoenicaulis cheiranthoides</i>	daggerpod	A B
<i>Physaria didymocarpa</i>	common twinpod	D
<i>Plagiobothrys scouleri</i>	Scouler's popcornflower	D
<i>Plectritis macrocena</i>	longhorn plectritis	D
<i>Polygonum aviculare</i>	doorweed, prostrate knotweed	A
<i>Polygonum douglasii</i>	Douglas knotweed	D
<i>Polygonum ramosissimum</i>	bushy knotweed	A
<i>Polystichum scopolinum</i>	rock swordfern	D
<i>Potentilla biennis</i>	biennial cinquefoil	D
<i>Potentilla glandulosa</i>	sticky cinquefoil	D
<i>Potentilla gracilis</i>	slender cinquefoil	D
<i>Ranunculus glaberrimus</i>	sagebrush buttercup	A C D
<i>Ranunculus sceleratus</i>	blister buttercup	D
<i>Ranunculus testiculatus</i>	burr buttercup, hornseed buttercup	A C D
<i>Rorippa nasturioides aquaticum</i>	watercress	A
<i>Rumex acetosella</i>	sheep sorrel	C
<i>Rumex crispus</i>	curly dock	A
<i>Salsola kali</i>	Russian thistle	A C
<i>Saponaria officinalis</i>	bouncingbet, soapwort	C
<i>Scrophularia lanceolata</i>	lanceleaf figwort	D
<i>Scutellaria antirrhinoides</i>	snapdragon skullcap	A
<i>Senecio canus</i>	woolly groundsel	D
<i>Senecio erterae</i>	Ertter's groundsel	D
<i>Senecio eremophilus</i>	dryland ragwort	A
<i>Senecio integrifolius</i>	western groundsel	A
<i>Senecio serra</i>	butterweed groundsel	D

<i>Silene douglasii</i>	seabluff catchfly	D
<i>Silene scaposa</i>	Blue Mountain catchfly	D
<i>Sisymbrium altissimum</i>	Jim Hill mustard, tumble mustard	A C
<i>Solidago missouriensis</i>	goldenrod	A D
<i>Sphaeralcea munroana</i>	orange globemallow, Munro's globemallow	A C D
<i>Stellaria calycantha</i>	northern starwort	D
<i>Stellaria longipes</i>	longstalk starwort	D
<i>Stephanomeria tenuifolia</i>	narrowleaf stephanomeria	D
<i>Taraxacum officinale</i>	common dandelion	A C
<i>Tetradymia canescens</i>	gray horsebrush	D
<i>Thlaspi arvense</i>	field pennycress, fanweed	B
<i>Thelypodium laciniatum</i>	thistleleaved thelypody	A C D
<i>Townsendia florifer</i>	showy townsendia	D
<i>Tragopogon dubius</i>	yellow salsify, western salsify	A C
<i>Trifolium cyathiferum</i>	cup clover	D
<i>Trifolium latifolium</i>	twinclover	A
<i>Trifolium macrocephalum</i>	big-head clover	A B C
<i>Trifolium owyheense</i>	Owyhee clover	C D
<i>Urtica dioica</i>	stinging nettle	D
<i>Verbasum blattaria</i>	moth mullein	C
<i>Verbascum thapsus</i>	mullein, flannel mullein	A C D
<i>Veronica americana</i>	American speedwell	D
<i>Veronica peregrina</i>	purslane speedwell	D
<i>Veronica snagallis-aquatica</i>	water speedwell	A
<i>Vicia cracca</i>	birdvetch	A
<i>Viola bakeri</i>	yellow prairie violet	D
<i>Viola baeckwithii</i>	Beckwith's violet	C D
<i>Wyethia amplexicaulis</i>	northern mule's-ears	A
<i>Xanthium strumarium</i>	cocklebur	A C
<i>Zigadenus paniculatus</i>	panicked death-camas, foothill deathcamas	A B

#### Shrubs

<i>Amelanchier alnifolia</i>	western service berry	A C
<i>Artemisia arbuscula</i>	low sagebrush	A B D
<i>Artemisia cana</i>	silver sage	A
<i>Artemisia rigida</i>	stiff sagebrush	A
<i>Artemisia packardiae</i>	Packard's wormwood	D
<i>Artemisia spinescens</i> or <i>Picrothamnus desertorum</i>	bud sagebrush	D
<i>Artemisia tridentata</i> ssp. <i>tridentata</i>	basin big sagebrush	A B C
<i>Artemisia tridentata</i> ssp. <i>wyomingensis</i>	Wyoming big sagebrush	A
<i>Atriplex canescens</i>	fourwing saltbush	A
<i>Atriplex confertifolia</i>	sheepfat, shadscale saltbush	A D
<i>Atriplex spinosa</i> or <i>Grayia spinosa</i>	spiny hopsage	A D
<i>Cercocarpus ledifolius</i>	curl-leaf mountain mahogany	A C D
<i>Chrysothamnus nauseosus</i>	gray rabbit-brush	A B C
<i>Chrysothamnus vicidiflorus</i>	green rabbit-brush	A B C
<i>Cornus seicea</i>	redosier dogwood	D
<i>Ericameria nana</i>	dwarf heath goldenrod	D
<i>Ericameria nauseosa</i>	rubber rabbitbrush	D

<i>Ericameria viscidiflora</i> or <i>Chrysothamnus viscidiflorus</i>	yellow rabbitbrush	D
<i>Glossopetalon nevadense</i>	spiny green-bush	A
<i>Glossopetalon spinescens</i>	spiny greasebush	C D
<i>Gutierrezia sarothrae</i>	broom snakeweed	A C D
<i>Holodiscus dumosus</i>	glandular oceanspray, rock spirea	A D
<i>Krascheninnikovia lanata</i>	winterfat, white sage	C
<i>Leptodactylon pungens</i>	granite prickly-phlox, prickly phlox	B
<i>Philadelphus lewisii</i>	Syringa	C
<i>Prunus virginiana</i>	common chokecherry	A C D
<i>Purshia tridentata</i>	bitterbrush, antelope bitterbrush	A B C D
<i>Ribes aureum</i>	golden currant	A C D
<i>Ribes cereum</i>	wax currant, squaw currant	A C D
<i>Rosa woodsii</i>	Woods' rose, pearhip rose	A C D
<i>Salix</i> sp.	willow	A
<i>Salix exigua</i>	coyote willow	C
<i>Salix rigida</i>	Mackenzieana, willow	C
<i>Salvia dorrii</i>	purple sage, gray ball sage	A C D
<i>Sambucus cerulea</i> or <i>Sambucus mexicana</i> or <i>sambucus nigra</i>	blue elderberry	A C D
<i>Sarcobatus vermiculatus</i>	greasewood	A C D
<i>Symphoricarpos oreophilus</i>	mountain snowberry	D
<i>Tetradymia canescens</i>	gray horse-brush	A B
<i>Tetradymia glabrata</i>	little leaf horse-brush	A

#### Trees

<i>Betula occidentalis</i>	water birch	C D
<i>Celtis reticulata</i>	netleaf hackberry	C D
<i>Juniperus occidentalis</i>	western juniper	A C D
<i>Pinus ponderosa</i>	ponderosa pine	D
<i>Populus deltoides</i>	eastern cottonwood	C
<i>Populus tremuloides</i>	quaking aspen	D
<i>Populus trichocarpa</i>	black cottonwood	D
<i>Salix amygdaloides</i>	peach-leaf willow	C
<i>Salix lasiolepis</i>	arroyo willow	D
<i>Salix lucida</i>	Pacific willow	D
<i>Tamarix parviflora</i>	salt cedar, tamarisk	C

## Bibliography - Appendix E

1. Culver, Roger N. 1964. An ecological reconnaissance of the *Artemisia* steppe on the east central Owyhee uplands of Oregon. Master of Science thesis in range management, Oregon State University.
2. Findley, Jean. 2004. Leslie Gulch. Kalmiopsis Volume 11, 2004.
3. Ganskopp, David C. 1984. Habitat use and spatial interactions of cattle, wild horses, mule deer, and California bighorn sheep in the Owyhee Breaks of southeast Oregon. Doctor of Philosophy thesis, Oregon State University.
4. USDA, NRCS. 2007. The plants database. National Plant Data Center, Baton Rouge, LA 70874-4490 USA. Accessed 2/17/2007. <http://plants.usda.gov/index.html>.

Lower Owyhee Watershed Assessment  
Appendix E

5. Shock, Clinton C. 2007. Mid-Snake River Watershed Vegetation Database. Retrieved 2/18/ 2007.  
<http://www.malag.aes.oregonstate.edu/wildflowers/>
6. Washington Flora Project. 2003. Retrieved 2/17/2007. <http://flora.ilangainc.com/index.html>.
7. Bureau of Land Management. 2007. Dry Creek geographic management area evaluation/assessment: Malheur resource area, Vale district. Retrieved 2/19/2007.  
[http://www.blm.gov/or/districts/vale/plans/files/vdo\\_plan\\_drycreek080306.pdf](http://www.blm.gov/or/districts/vale/plans/files/vdo_plan_drycreek080306.pdf)